



## SAFETY DATA SHEET

### AccuScan Black Ink Jet Ink

#### 1. Identification

##### Product identifier

**Product name** AccuScan Black Ink Jet Ink

**Product number** 71085770, 71085771, 71085772, 71085892

**Container size** 125 mL, 500 mL, 1 Liter, 5 Gallon Pail

##### Recommended use of the chemical and restrictions on use

**Application** Printing ink.

**Uses advised against** Use only for intended applications.

##### Details of the supplier of the safety data sheet

**Supplier** Matthews Marking Systems  
 3159 Unionville Road, Suite 500  
 Cranberry Township, PA 16066  
 412.665.2500  
 412.828.4545  
 info@matw.com

##### Emergency telephone number

**Emergency telephone** Chemtrec US : 1-800-424-9300 Chemtrec World: 1-703-527-3887

#### 2. Hazard(s) identification

##### Classification of the substance or mixture

**OSHA Regulatory Status** This Product is Not Hazardous under the OSHA Hazard Communication Standard.

**Physical hazards** Not Classified

**Health hazards** Not Classified

**Environmental hazards** Not Classified

##### Label elements

**Hazard statements** NC Not Classified

#### 3. Composition/information on ingredients

##### Mixtures

Water, Distilled	50-<80%
CAS number: 7732-18-5	

**Classification**  
 Not Classified

## AccuScan Black Ink Jet Ink

<b>1-Phenoxy-2-propanol</b>	<b>5-&lt;10%</b>
CAS number: 770-35-4	
<b>Classification</b>	
Eye Irrit. 2A - H319	

The full text for all hazard statements is displayed in Section 16.

**Ingredient notes**                      The exact percentage/concentration is withheld as a trade secret in accordance with 29 CFR 1910.1200. The exact identity is withheld as a trade secret in accordance with 29 CFR 1910.1200.

### 4. First-aid measures

#### Description of first aid measures

**General information**                      Consult a physician for specific advice. If medical advice is needed, have product container or label at hand. If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel.

**Inhalation**                                      Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. If breathing stops, provide artificial respiration. Consult a physician for specific advice.

**Ingestion**                                      Get medical attention immediately. Rinse mouth thoroughly with water. Never give anything by mouth to an unconscious person. Do not induce vomiting unless under the direction of medical personnel.

**Skin Contact**                                      Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing. Wash clothing and clean shoes thoroughly before reuse.

**Eye contact**                                      Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention.

**Protection of first aiders**                      First aid personnel should wear appropriate protective equipment during any rescue.

#### Most important symptoms and effects, both acute and delayed

**General information**                      The product is considered to be a low hazard under normal conditions of use. The severity of the symptoms described will vary dependent on the concentration and the length of exposure. See Section 11 for additional information on health hazards.

**Inhalation**                                      Gas or vapor in high concentrations may irritate the respiratory system. Vapor may affect central nervous system. Vapors may cause headache, fatigue, dizziness and nausea.

**Ingestion**                                      May be harmful if swallowed. May cause nausea, headache, dizziness and intoxication.

**Skin contact**                                      Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.

**Eye contact**                                      May cause irritation. A single exposure may cause the following adverse effects: Pain. Severe irritation, burning, tearing and blurred vision. Corneal damage.

#### Indication of immediate medical attention and special treatment needed

**Notes for the doctor**                      Treat symptomatically.

### 5. Fire-fighting measures

#### Extinguishing media

**Suitable extinguishing media**                      Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

## AccuScan Black Ink Jet Ink

**Unsuitable extinguishing media**                      None known.

### Special hazards arising from the substance or mixture

**Flammability Class**                                      3.1 Combustible Liquid IIIA

**Specific hazards**                                        Combustible liquid. Vapors are heavier than air and may spread near ground and travel a considerable distance to a source of ignition and flash back.

**Hazardous combustion products**                      Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO<sub>2</sub>). Carbon monoxide (CO).

### Advice for firefighters

**Protective actions during firefighting**                      Evacuate area. Stop leak if safe to do so. Use water to keep fire exposed containers cool and disperse vapors. Use water spray to reduce vapors.

**Special protective equipment for firefighters**                      Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

**Personal precautions**                                      No smoking, sparks, flames or other sources of ignition near spillage. Avoid contact with skin, eyes and clothing. Avoid inhalation of vapors. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place.

### Environmental precautions

**Environmental precautions**                                      Avoid release to the environment. Do not discharge into drains or watercourses or onto the ground. Use appropriate containment to avoid environmental contamination. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

### Methods and material for containment and cleaning up

**Methods for cleaning up**                                      Eliminate all sources of ignition. Stop leak if safe to do so. Do not touch or walk into spilled material. Take care as floors and other surfaces may become slippery. Contain and absorb spillage with sand, earth or other non-combustible material. Collect and place in suitable waste disposal containers and seal securely. When handling waste, the safety precautions applying to handling of the product should be considered. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

**Reference to other sections**                                      For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

## 7. Handling and storage

### Precautions for safe handling

**Usage precautions**    Wear protective clothing as described in Section 8 of this safety data sheet.

**Advice on general occupational hygiene**                                      Do not eat, drink or smoke when using this product. Provide eyewash station and safety shower. Good personal hygiene procedures should be implemented. Wash skin thoroughly after handling. Wash contaminated clothing before reuse.

### Conditions for safe storage, including any incompatibilities

## AccuScan Black Ink Jet Ink

<b>Storage precautions</b>	Store at temperatures between 4.4°C/40°F and 32.2°C/90°F. Keep only in the original container in a cool, well-ventilated place. Protect from freezing and direct sunlight. Container must be kept tightly closed when not in use. Keep containers upright. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Store in accordance with national regulations.
<b>Storage class</b>	Flammable liquid storage.
<b>Specific end uses(s)</b>	
<b>Specific end use(s)</b>	The identified uses for this product are detailed in Section 1.

### 8. Exposure controls/Personal protection

**Ingredient comments** Data based on literature. Product not tested.

#### Exposure controls

##### Protective equipment



**Appropriate engineering controls** As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapor or mist. Use explosion-proof ventilating equipment.

**Eye/face protection** Wear tight-fitting, chemical splash goggles or face shield.

**Hand protection** It is recommended that chemical-resistant, impervious gloves are worn. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. It is recommended that gloves are made of the following material: Butyl rubber. Nitrile rubber. Rubber (natural, latex). Frequent changes are recommended.

**Other skin and body protection** Avoid contact with skin. Wear appropriate clothing to prevent repeated or prolonged skin contact.

**Hygiene measures** Wash contaminated skin thoroughly after handling. Provide eyewash station and safety shower.

**Respiratory protection** If ventilation is inadequate, suitable respiratory protection must be worn. Wear a respirator fitted with the following cartridge: Organic vapor filter.

**Thermal hazards** If there is a risk of contact with hot product, all protective equipment worn should be suitable for use with high temperatures.

**Environmental exposure controls** Keep container tightly sealed when not in use.

### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

<b>Appearance</b>	Colored liquid.
<b>Color</b>	Black.
<b>Odor</b>	Ether.
<b>Melting point</b>	<20°C/<68°F
<b>Initial boiling point and range</b>	>177°C/>350.6°F @ 760 mm Hg

## AccuScan Black Ink Jet Ink

<b>Flash point</b>	>104°C/>219.2°F Closed cup.
<b>Evaporation rate</b>	≤ 1 (butyl acetate = 1)
<b>Upper/lower flammability or explosive limits</b>	Not available.
<b>Vapor pressure</b>	<0.004 mm Hg @ 20°C/68°F
<b>Vapor density</b>	Not available.
<b>Relative density</b>	1.000 g/cc 1000.0 g/l 8.33 lbs/gal
<b>Solubility(ies)</b>	Slightly soluble in water.
<b>Partition coefficient</b>	Not available.
<b>Auto-ignition temperature</b>	Not available.
<b>Decomposition Temperature</b>	Not applicable.
<b>Explosive properties</b>	Not applicable.
<b>Oxidizing properties</b>	Not applicable.
<b>Comments</b>	Information given is applicable to the product as supplied. Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.
<b>Volatile organic compound</b>	This product contains a maximum VOC content of 540 g/l.

### 10. Stability and reactivity

<b>Reactivity</b>	There are no known reactivity hazards associated with this product.
<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended.
<b>Conditions to avoid</b>	Avoid the following conditions: Heat, sparks, flames.
<b>Materials to avoid</b>	Avoid contact with the following materials: Strong oxidizing agents.
<b>Hazardous decomposition products</b>	Heating may generate the following products: Carbon dioxide (CO <sub>2</sub> ). Carbon monoxide (CO).

### 11. Toxicological information

#### Information on toxicological effects

**Toxicological effects** Information given is based on data of the components and of similar products.

#### Specific target organ toxicity - single exposure

**Target organs** Central nervous system Eyes Gastro-intestinal tract Respiratory system, lungs Skin

#### Specific target organ toxicity - repeated exposure

**Target organs** Central nervous system Eyes Gastro-intestinal tract Respiratory system, lungs Skin

### 12. Ecological information

#### Ecological information on ingredients.

#### 1-Phenoxy-2-propanol

#### Acute aquatic toxicity

## AccuScan Black Ink Jet Ink

**Acute toxicity - fish** LC<sub>50</sub>, 96 hours: 280 mg/l, Pimephales promelas (Fat-head Minnow)

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, 96 hours: 370 mg/l, Daphnia magna

### Bioaccumulative potential

**Partition coefficient** Not available.

### Mobility in soil

**Mobility** No data available.

### Other adverse effects

**Other adverse effects** Not applicable.

## 13. Disposal considerations

### Waste treatment methods

#### **General information**

The generation of waste should be minimized or avoided wherever possible. When handling waste, the safety precautions applying to handling of the product should be considered. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Dispose of waste product or used containers in accordance with local regulations. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.

#### **Disposal methods**

Dispose of contents/container in accordance with national regulations. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. When handling waste, the safety precautions applying to handling of the product should be considered.

## 14. Transport information

#### **General**

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, DOT).

#### UN Number

**UN No. (International)** Not applicable.

#### UN proper shipping name

**Proper shipping name (International)** Not applicable.

#### Transport hazard class(es)

**Transport Labels (International)** No transport warning sign required.

#### Packing group

**Packing group (International)** Not applicable.

#### Environmental hazards

##### **Environmentally Hazardous Substance**

No.

#### Special precautions for user

Not applicable.

## AccuScan Black Ink Jet Ink

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

### 15. Regulatory information

**Regulatory References** OSHA Hazard Communication Standard, 29 CFR 1910.1200

#### US Federal Regulations

##### **SARA (311/312) Hazard Categories**

*1-Phenoxy-2-propanol*

#### US State Regulations

##### **California Directors List of Hazardous Substances**

The following ingredients are listed:

##### **Massachusetts "Right To Know" List**

The following ingredients are listed:

##### **Rhode Island "Right To Know" List**

The following ingredients are listed:

##### **Minnesota "Right To Know" List**

The following ingredients are listed:

##### **New Jersey "Right To Know" List**

The following ingredients are listed:

*1-Phenoxy-2-propanol*

##### **Pennsylvania "Right To Know" List**

The following ingredients are listed:

*1-Phenoxy-2-propanol*

#### Inventories

##### **EU - EINECS/ELINCS**

All the ingredients are listed or exempt.

##### **Canada - DSL/NDSL**

All the ingredients are listed or exempt.

##### **US - TSCA**

All the ingredients are listed or exempt.

##### **Philippines - PICCS**

The following ingredients are listed:

##### **Taiwan - TCSI**

The following ingredients are listed:

### 16. Other information

**Issued by** Matthews Marking Systems - Chemical Services Department

**Revision date** 8/5/2020

## AccuScan Black Ink Jet Ink

<b>Revision</b>	6
<b>Supersedes date</b>	2/4/2020
<b>SDS No.</b>	5822
<b>SDS status</b>	Approved.
<b>Hazard statements in full</b>	H319 Causes serious eye irritation.
<b>NFPA - health hazard</b>	No health hazards specifically noted for fire situations. (0)
<b>NFPA - flammability hazard</b>	Will not burn. (0)
<b>NFPA - instability hazard</b>	Normally stable. (0)
<b>ACA HMIS Health rating.</b>	Minimal hazard. (0)
<b>ACA HMIS Flammability rating.</b>	Burns only if pre-heated. (1)
<b>ACA HMIS Physical hazard rating.</b>	Normally stable. (0)
<b>ACA HMIS Personal protection rating.</b>	C

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.