

## Product Name: SCP-723 VL Green (FD) Ink

---

### Substrates Marked

**Preferred:** Various porous and non-porous substrates  
**Acceptable:** N/A

### Product Specifications/Characteristics

<b>UN Number</b>	1210	<b>Flash Point</b>	16° F (-9°C)
<b>Type</b>	Ink Jet	<b>Recommended Storage</b>	32°- 90° F (0°C – 32.2°C)
<b>Colorant</b>	Dye	<b>Shelf Life</b>	2 years
<b>Viscosity</b>	Liquid	<b>Package</b>	Vapor barrier polyethylene
<b>Drying Time</b>	1-5 seconds	<b>Unit</b>	Various
<b>Open Time</b>	N/A	<b>Density</b>	6.86 lbs/gal
<b>DOT Regulations</b>	Flammable	<b>RCRA Waste Number</b>	D001, D035, F005
<b>VOC</b>	786 g/l	<b>Thinner</b>	N/A
<b>SDS Sheet Number</b>	4834	<b>Cleaner</b>	SCP-700C Cleaner
<b>HMIS Rating</b>	2*-3-0	<b>NFPA Rating</b>	2-3-0
<b>Carcinogen</b>	No	<b>Specific Gravity</b>	0.823

### Description/Special Properties

Value line version of SCP-703 for non-porous surfaces. Ink will show a slightly lighter mark than the SCP-703 and will exhibit average UV resistance as compared to SCP-703. Dry times for this ink will be 1-5 seconds. This ink shows excellent open times and adhesion to a variety of non-porous substrates. Dry times for this ink can be speeded up with air or heated air.

### Application/Compatibility

**Printhead:** 8000+  
**Rubber Compounds:** N/A

### Formulations Available

Item Number	Unit of Measure
71002445	Case of 6 x 1 Liter Bottles

A Safety Data Sheet is furnished with every order.

**Original Date:** December 30, 2012

**Revision Date:** June 22, 2016

---