

## Product Name: SCP-911A Special Blue Ink

---

### Substrates Marked

**Preferred:** Metal, Plastic, Glass, Wood  
**Acceptable:** Various porous and non-porous substrates

### Product Specifications/Characteristics

<b>UN Number</b>	1210	<b>Flash Point</b>	1.4° F (-17°C)
<b>Type</b>	Ink Jet	<b>Recommended Storage</b>	32°- 90° F (0°C – 32.2°C)
<b>Colorant</b>	Dye	<b>Shelf Life</b>	2 years
<b>Viscosity</b>	Liquid	<b>Package</b>	Vapor barrier polyethylene
<b>Drying Time</b>	1-3 seconds	<b>Unit</b>	Various
<b>Open Time</b>	N/A	<b>Density</b>	6.76 lbs/gal
<b>DOT Regulations</b>	Flammable	<b>RCRA Waste Number</b>	D001, F003
<b>VOC</b>	0 g/l	<b>Thinner</b>	N/A
<b>SDS Sheet Number</b>	5393	<b>Cleaner</b>	SCP-900C Cleaner
<b>HMIS Rating</b>	1*-3-0	<b>NFPA Rating</b>	2-3-0
<b>Carcinogen</b>	Yes	<b>Specific Gravity</b>	0.811

### Description/Special Properties

True Zero VOC and HAPS free blue ink for porous and non-porous substrates. The dry times for this ink will be 1-3 seconds depending on the substrate being printed on. This ink will work on many different substrates and all potential applications should be evaluated by sample marking. Dried mark has good adhesion and abrasion resistance. Care should be taken when considering open time as this ink will have some limitations due to the fast dry time.

### Application/Compatibility

**Printhead:** 8000+  
**Rubber Compounds:** N/A

### Formulations Available

Item Number	Unit of Measure
71002476	Case of 6 x 1 Liter Bottles
71002475	5 Gallon Pail

A Safety Data Sheet is furnished with every order.

**Original Date:** March 12, 2012  
**Revision Date:** August 26, 2016

---